

# Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

1437 August 28, 1903

Report from Matanzas—Inspection of vessels—Mortality statistics.

Passed Assistant Surgeon von Ezdorf reports, August 19, as follows: During the week ended August 15, 1903, three bills of health were issued to vessels prior to sailing for ports in the United States. No quarantinable disease was reported.

Mortality statistics for the first ten days of August, 1903.

Causes of death.	Number.
Enteric fever	
Enteric fever Malarial cachexia	
Cuberculosis	
Epithelioma Perebral hemorrhage	
Cêrebral hemorrhage	
Organic disease of the heart	
Angina pectoris	
Atheroma, general	
Diarrhea and enteritis	
Athrepsia	
Diarrhea and enteritis (over 2 years)	
Peritonitis, simple	
Bright's disease	
Congenital debility	
(Pote)	
Total	

Annual rate of mortality, 15.96 per 1,000; estimated population, 48,000.

Report from Santiago—Inspection of vessels—Mortality statistics— Disinfection of vessels from Venezuelan ports.

Acting Assistant Surgeon Wilson reports, August 7, as follows: Week ended August 1, 1903. Bills of health issued to two vessels bound for the United States. Week ended August 8, 1903. Seven vessels bound for the United States. No quarantinable disease has

been reported.

Having received the statistics published by the sanitary department for the month of June, 1903, I noticed in the report of the port physician's work that one vessel had been declared in quarantine. As I had not heard of this before, I went to see them to inquire about it, and they gave me the following information: The Cuban steamship Maria Herrera on its return from San Juan, P. R., in June, went out of its way to go to Puerto Cabello, Venezuela, for a load of cattle. As it arrived with a clean bill of health, and as Puerto Cabello has not been declared infected, and as the vessel has a native Cuban crew, the steamship Maria Herrera was given free pratique. When the vessel arrived at Habana and the authorities there found out what had been done here, they immediately sent a long telegram strongly condemning the action of the port physician here. As the result of this, the next vessel from Venezuela (also bringing cattle) was disinfected after landing cattle. A third vessel, which arrived in July (the Albis), has also been disinfected. Special attention has been paid to burning pyrethrum powder to kill mosquitoes. No one was siek on board of these three vessels. The *Albis* is still in port; the other two were not bound for the United States.

## Mortuary statistics for the week ended August 1, 1903.

Causes of death.	Number.
Malaria Pernicious fever Pubercle of lungs Pubercle of meninges Meningitis Petanus (traumatic) Myocarditis Preumonia Diarrhea and enteritis (under 2 years) Nephritis, chronic Practure of femur Practure of femur Ul defined or unspecified.	
Pernicious fever	
Fubercle of lungs	
Tubercle of meninges	
Meningitis	
Tetanus (traumatic)	
Myocarditis	
Pneumonia	
Diarrhea and enteritis (under 2 years)	
Nephritis, chronic	
Fracture of femur	
Il defined or unspecified	
Total	

Annual rate of mortality for the week, 18.1 per 1,000. Estimated population, 43,000.

## Report for the month of July, 1903.

Number of bills of health issued and of outgoing vessels inspected	16
Crews	527
Passengers	102
Vessels quarantined	0
Vessels disinfected	0
Certificates issued:	
(a) Immune	0
(b) Nonimmune	0
Applicants for immune certificates rejected.	0
Persons vaccinated	0
Pieces of baggage outbound:	
(a) Inspected	0
(b) Disinfected	0
Deaths from yellow fever	0
Deaths from other contagious diseases	0
Deaths from all causes (stillbirths not counted)	111
Cases of quarantinable diseases reported in city	0-
Cases of other contagious diseases reported in city (diphtheria)	$^{2}$
Certificates issued for shipping remains of dead bodies to the United States	0

Only 16 vessels left this port for the United States during July. This is the smallest number by far since May, 1902.

The number of deaths in the city is 111. This is smaller than the

number for June, but is still high.

#### GERMANY.

Report from Berlin—Plague and cholera in various countries.

Consul-General Mason reports, August 10, as follows:

## Plague.

Egypt.—During the period from the 18th to the 25th of July there were registered in the whole of Egypt 5 cases of plague (and 5 deaths), namely: In Alexandria, 2 cases (1 death); Port Said, 1 new case (3 deaths); Daniette, 2 cases (1 death).

British India.—During the week ended July 11 there were registered in the Bombay Presidency 2,191 cases of plague (and 1,617 deaths), of which 86 cases (and 86 deaths) occurred in the city of Bom-

bay, and 2 cases (2 deaths) in Karachi.